










## Accessories

		Outer diameter Ø (mm)	Art. no.
<b>Backflow preventer for push-fit connection</b>			
<b>Backflow preventer for push-fit connection</b>	<p><b>Compatibility:</b> For systems for outdoor installation, for push-fitting into an inlet Ø 50 for lifting station <i>Minilift S</i> (280 570X, 280 570S, 280 570XC and 280 570SC)</p> <p><b>Function:</b> Prevents potential backflow in the inlet pipe</p>	Ø 50	28 093
	 		
<b>Click adapter</b>			
<b>Click adapter</b>	<p><b>Compatibility:</b> For changeover to PE connection; for lifting station <i>Aqualift F Compact</i>, <i>Aqualift S Compact</i> and <i>Minilift S</i> (280 570X, 280 570S, 280 570XC and 280 570SC)</p>	Ø 40	28 086
			
<b>Adapter set</b>	<p><b>Compatibility:</b> Lifting station <i>Aqualift S 100 &amp; 200</i></p> <p><b>Function:</b> Optional set facilitating external pipe connection</p> <p><b>Contain:</b> Adapter with internal thread 2" and a fitting with external thread 2" and quick-connection ending for easy installation</p>		28 097
			
<b>Control unit accessories</b>			
<b>Audible alarm</b>	<p><b>Compatibility:</b> For all control units 230 V not for warning devices Art. no. 20 222 and 20 223</p> <p><b>Cable length:</b> 20 m</p>		20 162
			
<b>Potential-free contact</b>	<p><b>Compatibility:</b> For all control units 230 V not for warning devices Art. no. 20 222 and 20 223</p>		80 072
			
<b>Safety</b>			
<b>TeleControl telemetric system</b>	<p><b>Compatibility:</b> For connection to KESSEL Comfort control units 230 Volt and 400 Volt</p> <p><b>Function:</b> Relaying of full text messages to up to three mobile phones</p> <p><b>Inclusive:</b> With internal antenna (without SIM card)</p>		28 792
			
<b>Antenna booster with magnetic base</b>	<p><b>Compatibility:</b> For <i>TeleControl</i> telemetric system to improve the reception</p> <p><b>Cable length:</b> 2.5 m</p>		28 793
			
<b>Extension cable</b>	<p><b>Compatibility:</b> For antenna booster</p> <p><b>Cable length:</b> 2 m</p>		28 794
<b>Air compressor set</b>	<p><b>Function:</b> For use in combination with lifting station and pumping stations with pressure control: prevents soiling, avoids the formation of condensate in the pressure hose, makes operation of systems possible with pressure hose lengths &gt; 10 m – 30 m</p> <p><b>Inclusive:</b> T-piece connection, 20 m pressure hose</p>		28 048
			
<b>PE-pressure hose extension (per meter)</b>	<p><b>Compatibility:</b> For Art. no. 28 048</p>		680 071